

# INDEX MAPS.

## T. 32N, R. 8E. 2<sup>nd</sup> Mer.

	298	297	297	297	296	296						
299	6	324	5	317	4	314	3	310	2	305	1	293
	323	323	317	313	309	305						
299	7	323	8	317	9	313	10	308	11	305	12	294
	322	322	316	313	308	304						
300	18	321	17	316	16	312	15	308	14	304	13	294
	321	321	316	312	307	303						
300	19	320	20	315	21	312	22	307	23	303	24	295
	320	319	315	311	307	303						
301	30	319	29	315	28	311	27	306	26	302	25	295
	319	318	315	310	306	302						
301	31	318	32	314	33	310	34	306	35	302	36	295
	293	293	292	292	291	291						

Manders 324

Meanders 324

## T. 33N, R. 8E. 2<sup>nd</sup> Mer.

	337	336	336	336	335	335						
338	6	374	5	372	4	370	3	350	2	345	1	333 334
	373	373	371	371	350	349	344					
338	7	372 365	8	371 359	9	370 354	10	349	11	344	12	333 334
	364	364	358	354	349	344						
338	18	364	17	358	16	353	15	348	14	343	13	333 334
	363	362	357	353	348	343						
339	19	362	20	357	21	352	22	347	23	343	24	333 334
	361	361	356	352	347	342						
339	30	360	29	356	28	351	27	346	26	342	25	332 334
	360	359	355	351	346	341						
340	31	359	32	353	33	351	34	345	35	340	36	332 335
	331	330	330	330	329	329						

Meanders 366, 375

Meanders 366, 375

The figures on the lines refer to the page.

Township No 32. North of Range No 8 East. Ind. Ter. Indiana 241

South Boundary

- Mon On South Boundary of Sec. 36 var. S. 15° E  
 3. 00 Leave Willow Swamp.  
 26. 28 A White Mud 30 in. diam.  
 40 00 Set a gr. Sec. post from which  
 a Hickory 5 in. diam. bears N 26° E 4 links dist. &  
 a W Oak — " " " N 20° W. 27 " "  
 48. 00 A Brook 6 links wide. Course S W.  
 57. 60 An Elm 18 in. diam.  
 64 78 A W Oak 30 " "  
 73. 00 Enter Willow Swamp.  
 80. 00 Set a Post cor. to Sec. 34 & 35 from which  
 a Willow 4 in. diam. bears N 49° W 40 links dist. &  
 a Do 3 " " " N 58° W. 48 " "  
 Land Rolling & 2<sup>nd</sup> rate. Timber. Elm. Oak.  
 Ash. Linn & Birch.

- 
- Mon On South Boundary of Sec. 35  
 5. 50 Leave Willow & Enter Tamarac  
 13. 38 A Tamarac 8 in. diam.  
 19. 00 Leave the swamp.  
 32. 00 A White Mud 30 in. diam.  
 40 00 Set a gr. Sec. post from which  
 a Birch 5 in. diam. bears N 79° W. 15 links dist. &  
 a Do 20 " " " N 75° E 30 " "  
 40 27 Intersect the Range line T. 31 N. R. 8 & 9.  
 8 ch. & 35 links North of Temp. Post.  
 Set a Post Cor. to Town 31. N of Ranges 8 & 9 E.  
 from which  
 a Birch 8 in. diam. bears N 45° W. 20 links dist. &  
 a W. Oak 20 " " " N 78° E 38 " "  
 52. 57 A Do 18 " "  
 50. 00 Enter Marsh  
 77. 00 Leave same  
 80. 00 Set a Post Cor. to Sec. 34 & 35 from which  
 a W. Ash 10 in. diam. bears N 37° E 27 links dist. &



T32 N. R. & E 2<sup>nd</sup> Mer. Indiana

a Blue Ash 20 in. diam. bears N 32 W 33 lks. dist.  
 Land Rolling 2<sup>nd</sup> rate (Swamp, excepted).  
 Timber. Sugar. Beech. Oak. Underg<sup>th</sup> same.

- West On South Boundary of the 34.  
 7.35 A W. Oak — in. diam.  
 12.50 Enter Willow Swamp.  
 15.00 Leave the same  
 22.88 A Red Oak 18 in. diam.  
 40.00 Set a Post Cor. to the firm which  
 a Buckeye 5 in. diam. bears N 68 W 25 links dist. &  
 a Beech 10 " " " N 74 E 28 " "  
 55.50 A Brook 5 links wide. Course S W.  
 73.23 A B. Walnut 10 in. diam.  
 74.00 A Brook 5 links wide. Course S W.  
 78.00 Same " " " S W.  
 80.00 Set a Post Cor. to Sec. 33 & 34 from which  
 an Elm 10 in. diam. bears N 30 E 38 links dist. &  
 a Po 10 " " " N 38 W 28 " "  
 Land Rolling & 1<sup>st</sup> rate. Timber. Sugar. Elm  
 Beech. Oak. &c. Underg<sup>th</sup> same.

- West On South Boundary of the 33  
 15.41 A Hickory 18 in. diam.  
 20.00 A Brook 5 links wide. Course S E.  
 28.71 A W. Ash 15 in. diam.  
 36.50 Enter Willow Swamp  
 46.00 Set a q. the Post from which (in Swamp)  
 a Willow 3 in. diam. bears N 11 E 26 lks. dist. &  
 a Po 3 " " " N 63 W 28 " "  
 47.00 Leave the swamp  
 52.02 A W. Oak 20 in. diam.  
 79.30 A Beech 18 " "  
 80.00 Set a Post Cor. to Sec. 32 & 33 from which  
 a Beech 10 in. diam. bears N 50 E 25 links dist. &  
 an Iron rod 9 " " " N 34 W 15 " "

# T32 N. R 8 E. 2<sup>nd</sup> Mer. Indiana

293

Land & Timber as before.

West On South Boundary of Sec 32  
 12. 24 A W. Oak 40 in. diam.  
 28 28 An Elm 18 " "  
 40 00 Set a gr. Sec post from which  
 a Beech 10 in. diam. bears N 26 E 90 links dist. &  
 a Co 12 " " " N 45 W 55 " "  
 50 55 A B. Ash 12 " "  
 72 18 A Buckeye 10 " "  
 80 00 Set a Post cor. to Secs 31 & 32 from which  
 a B. Ash 7 in. diam. bears N 35 E 12 links dist. &  
 an Elm 9 " " " N 55 W 7 " "  
 Land gently Rolling 1<sup>st</sup> rate. Timber Sugar  
 Beech Ash Elm. Linn. &c.

West On South Boundary of Sec 31  
 12. 20 A Beech 30 in. diam.  
 32 23 A Co 6 " "  
 40. 00 Set a gr. Sec post from which  
 a Sugar 10 in. diam. bears N 84 E 37 links dist. &  
 a Beech 18 " " " N 33 W 57 " "  
 50 72 A Beech 12 " "  
 73. 00 Set a post cor to Tennes 32 N. R 8 E  
 from which  
 a Beech 20 in. diam. bears N 41 E 24 links dist. &  
 a Co 10 " " " N 13 W 45 " "  
 Land &c as before Nov. 2<sup>nd</sup> 1833.

## East Boundary.

South On East Boundary of Sec 31 var. 5586  
 Corner to Tennes 32 & 33 in Lake. R 8 E  
 7. 50 South Margin of Lake Set a Post from which  
 a W. Oak 9 in. diam. bears N 27 W 12 links dist. &  
 an Elm 18 " " " S 77 E 14 " "  
 30 40 A W. Oak 18 " "

## T32 N. R. 8 E 2nd Mer. Indiana.

- 50.48 Set a g. Sec post from which  
 a W. Oak 30 in. diam. bears S 89° E 43 links dist.  
 a Blue Ash 8 " " " N 4 1/2° W 40 " "
- 62.50 A Hickory 18 " "
- 90.48 Set a Post Cor. to Sec. 1112 from which  
 an Ironwood 5 in. diam. bears S 71° W 11 links dist. &  
 a Beech 10 " " " N 21° W 32 " "  
 Land, 1<sup>st</sup> p. rolling & Bushy. 2<sup>nd</sup> p. level. soil 1<sup>st</sup> rate  
 Timber. Oak. Ash & Elm.

- South On East Boundary of Sec 12
- 19.40 A Hickory 18 in. diam.
- 35.82 An Elm 18 " "
- 40.00 Set a g. Sec post from which  
 a Beech 19 in. diam. bears N 25° W 39 links dist. &  
 a Do 10 " " " S 75° W 35 " "
- 60.00 A Beech 12 " "
- 80.00 Set a Post Cor. to Sec. 12 & 13 from which  
 a Beech 10 in. diam. bears S 62° W 36 links dist. &  
 a Do 12 " " " N 68° W 30 " "  
 Land Rolling soil good. Timber. Sugar. Beech  
 Ash. Elm. Oak, &c.

- South On East Boundary of Sec. 13
- 15.09 A W. Ash 24 in. diam.
- 24.94 A Beech 12 " "
- 40.00 Set a g. Sec post from which  
 a Beech 18 in. diam. bears S 31° W 26 links dist. &  
 a Sugar 6 " " " N 46 1/2° W 8 " "
- 52.00 A Beech 12 in. diam.
- 64.12 A Do 12 " "
- 80.00 Set a Post Cor. to Sec. 13 & 14 from which  
 a Boxwood 9 in. diam. bears S 64° W 25 links dist. &  
 a Beech 10 " " " N 65 1/2° W 40 " "  
 Land gently rolling & 1<sup>st</sup> rate. Timber. Sugar. Beech  
 Ash, Elm. & Lyrin.

South On East Boundary of Sec 24.  
 17. 00 A B. Walnut 18 in. diam.  
 31. 50 A Beech 10 " "  
 40. 00 Set a g. Sec post from which  
 a Beech 10 in. diam. bears S 67 $\frac{1}{2}$  W 15 $\frac{1}{2}$  links dist. &  
 a Do 10 " " " " N 76 $\frac{1}{2}$  W 15 $\frac{1}{2}$  " "  
 50. 54 A Beech 6 " "  
 60. 90 A Do 12 " "  
 80. 00 Set a Post cor. to Sec. 24 & 25 from which  
 a Sugar 20 in. diam. bears S 40 $\frac{1}{2}$  W 45 links dist. &  
 a Do 9 " " " " N 43 $\frac{1}{2}$  W 14 " "  
 Land the same as last mile.

South On East Boundary of Sec 25.  
 12. 40 A W. Oak 18 in. diam.  
 35. 50 A White Wood 18 in. "  
 40. 00 Set a g. Sec. post from which  
 a Beech 20 in. diam. bears S 55 $\frac{1}{2}$  W 47 links dist. &  
 an Ironwood 6 " " " " N 60 $\frac{1}{2}$  W 14 " "  
 54. 20 A W. Oak 18 " "  
 60. 95 An Elm 12 " "  
 80. 00 Set a Post cor. to Sec. 25 & 36. from which  
 a Beech 6 in. diam. bears S 69 $\frac{1}{2}$  W 25 links dist. &  
 a Do 7 " " " " N 38 $\frac{1}{2}$  W 33 " "  
 Land the same as last mile.

South On East Boundary of Sec 30.  
 12. 05 A Beech 10 in. diam.  
 27. 94 A White Wood 30 in. diam.  
 40. 00 Set a g. Sec post from which  
 an Ironwood 7 in. diam. bears S 15 $\frac{1}{2}$  W 7 $\frac{1}{2}$  links dist. &  
 a Sugar 5 " " " " N 71 $\frac{1}{2}$  W 13 " "  
 A Blue Beech  
 77. 00 Enter Millen Swamp.  
 80. 00 Town Corner.  
 Land the same. Nov. 1<sup>st</sup> 1833.



## T32 N. R &amp; E. Tma Mer. Indiana

## North Boundary.

- Note On North Boundary of Sec 30. T33 N. R & E.  
 18. 50 Leave Lake. & enter ~~elm~~ Swamp.  
 Set a Post from which  
 an Elm 16 in. diam. bears N. 09 W. 57 links dist &  
 a Willow 6 " " " S 60 W 29 " "  
 20. 00 Leave Willow Swamp  
 28. 00 A Poplar 18 in. diam. & Enter Willow Swamp.  
 35. 50 Leave the Swamp  
 40. 00 Set a g. the post from which  
 a W. Oak 16 in. diam. bears N 08 E 93 links dist &  
 a Hickory 11 " " " N 75 W 52 " "  
 56. 50 A W. Oak 16 " "  
 68. 20 To Marsh. A small Lake about 10 chains South  
 and another about the same distance N E  
 76. 00 Leave the Marsh  
 80. 00 Set a Post cor. to Sec. 35 & 30 from which  
 a W. Oak 30 in. diam. bears N 36 1/4 E 73 links dist &  
 a Do 18 " " " N 40 W 65 " "  
 Land gently rolling good soil. Timber mostly  
 W. Oak & Hickory. Underg<sup>th</sup> Vines Coffee nut &c.  
 Sapafres.

- Note On South Boundary of Sec 35 T33 N. R & E.  
 28. 29 A B. Oak 16 in. diam.  
 29. 00 Swamp.  
 39. 50 Leave Do. A B. Oak &c.  
 40. 00 Set a g. the post from which  
 a Buck 19 in. diam. bears N 79 1/4 W. 70 links dist &  
 a Do 13 " " " N 33 E 28 " "  
 58. 00 An Indian Trail, course S E.  
 60 65 A W. Oak 16 in. diam.  
 74. 00 Willow & rose Swamp.  
 80 00 Set a Post cor. to Sec 34 & 35 from which  
 an Elm 6 in. diam. bears N. 35 W. 22 links dist &  
 a Maple 6 " " " N. 44 E. 14 " "

Land similar to the last. Timber. Oak. Hickory.  
Ash. Birch. Poplar. Walnuts &c.

- West On South Boundary of Sec. 34 T 33. N. R 8 E.  
3. 50 Clear the Swamp.  
22. 75 An Elm 18 in. diam.  
40 00 Set a g. Sec. post from which  
a W. Oak 14 in. diam. bears N. 76 $\frac{1}{2}$  W. 54 links dist. &  
a B. Oak 20 " " " North 57 " "  
42. 00 Willow & rose Swamp.  
48. 00 Clear Do.  
67. 98 A W. Ash 18 in. diam.  
80. 00 Set a Post cor. to Sec. 33 & 34 from which  
a W. Oak 30 in. diam. bears N. 67 $\frac{1}{2}$  E. 59 links dist. &  
a Birch 16 " " " N. 9 W. 26 " "  
East of the Land & similar. West of Swamp  
rolling 1<sup>st</sup> rate. Timber. Birch. Walnut, Ash.  
Hickory. Poplar. &c.

- West On South Boundary of Sec. 33. T 33. N. R 8 E.  
12. 64 A Spanish Oak 48 in. diam.  
40 00 <sup>See p. 132 post from which</sup> An Elm 8 in. diam. bears N. 33 E. 22 links dist. &  
a Birch 20 " " " N. 38 $\frac{1}{2}$  W. 59 " "  
42. 47 A Birch 36 " "  
65. 00 Willow & Rose Swamp  
71. 50 Clear Do lies mostly N. W.  
80. 00 Set a Post cor. to Sec. 32 & 33 from which  
a W. Ash 14 in. diam. bears N. 76 $\frac{3}{4}$  E. 49 links dist. &  
a W. Oak 16 " " " N. 36 W. 73 " "  
Upland rolling 1<sup>st</sup> rate. Timber. Birch. Ash.  
Oak. Hickory. Elm. Walnut. Poplar &c.

- West On South Boundary of Sec. 32 T 33. N. R 8 E.  
36. 01 A Birch 14 in. diam.  
40. 00 Set a g. Sec. post from which  
a Birch 14 in. diam. bears N. 81 $\frac{1}{4}$  E. 49 links dist. &

T32 A. R & E 2<sup>nd</sup> Mer. Indiana

77.97 a W. Ash 14 in. diam. bears N 39 W 22 links dist.  
 80.00 Set a Post Cor. to Sec. 32 & 33 from which  
 a B. Ash 17 in. diam. bears N 83 1/2 W 57 links dist. &  
 a Buck 18 " " " N. 59 1/2 E. 35 " "  
 Sand Rolling 2<sup>nd</sup> note. Timber. Buck. Ash. Elm.  
 Hickory. &c. &c. Oct. 3<sup>rd</sup> 1834.

West On South Boundary of Sec. 31 & 33 T R & E.  
 18.00 A Buck 16 in. diam.  
 26.20 A B. Oak 30 " "  
 41.00 Set a g. Sec. post. from which  
 a W. Ash 18 in. diam. bears N. 76 E 89 links dist. &  
 an R. Oak 36 " " " N. 75 W. 42 " "  
 50.50 Marsh  
 59.00 North border of Marsh  
 61.87 Aspin 13 in. diam.  
 63.00 Marsh  
 70.00 Same same  
 71.08 Intersect the West Boundary. 8.88 links North of  
 Timp's Post or at the end of 5 miles 71 ch. & 12 lbs.  
 Set a Post from which  
 a W. Oak 18 in. diam. bears S. 46 E 56 links dist. &  
 a Y. Oak 20 " " " S. 72 1/2 W. 29 " "  
 East of Marsh Land &c. similar. some parts of  
 it 1<sup>st</sup> note. Var. 7<sup>th</sup> or E.

Note Hearing found by sad experience that I could  
 place no dependence on the length of the lines &  
 their course, in the old survey as represented  
 on my diagram, and being determined in  
 going through with Towns 33. if possible to  
 strengthen the work. I accordingly ran the  
 West Boundary of this Town North and estab-  
 lished as I went just 6 miles, intending to  
 close the South Boundary by Randeming, East &

Correcting West from Post to Post. and with this intention ran with care East at var. of  $5^{\circ}45'E$  at the end of 5.71.18. Intersected to my utter consternation 19.50 South of Corner!!! To run the line West as represented and moved the West Boundary to their proper places.

I spent the  $\frac{1}{2}$  day (nearly) in ascertaining the true corner. What I should be certain. I went to the  $\frac{1}{4}$  Sec. Corner. South Boundary of Sec. 31. T. 8 N. R. 9 E.

Ran East to a Station tree. found var. to be  $5^{\circ}25'E$ . then run the line out West by offsets to the South at 4139 established range line and commenced the South Boundary of this Town. from it

Surely, so gross an error must have been detected in subdividing Range 9 East.

Surveyed by  
Roberts, Clark, J. D. S.

---

West Boundary var.  $5^{\circ}50'E$

South On East Boundary of Sec. 1. T 32 N. R. 7 E

10. 20 A W. Oak 24 in. diam.

43. 28 Set a gr. Sec post from which  
a Hickory 12 in. diam. bears S 88 W 19 links dist. &  
a W. Oak 24 " " " S 40 W 77 " "

55. 90 A White Wood 20 in. diam.

65. 28 An Elm 10 in. diam.

83. 28 Set a Post Cor. to Sec. 1 & 12 from which  
an Elm 18 in. diam. bears N 40 W 94 links dist. &  
a Beech 20 " " " S. 7 W 40 " "  
Land rolling & 1<sup>st</sup> rate. Timber mostly Oak.

---

South On East Boundary of Sec. 12 T 32 N. R. 7 E.

9. 73 A W. Oak 12 in. diam.

22. 15 A O 24 " "

25. 00 Large Oak land

40. 00 Set a gr. Sec. post from which



## T32 N. R. &amp; E 2nd Mer. Indiana.

- a Beech 20 in diam. bears S. 45° W. 51 links dist. &  
 a Do 18 " " " N. 17° W. 32 " "
113. 94 A Beech 20 " "  
 51. 40 An Elm 18 " "  
 80 00 Set a Post in Buck 20 links wide. Course N. W.  
 Cor. to Sec. 12 & 13 from which  
 a Hackberry 8 in diam. bears N. 34° W. 39 links dist. &  
 a Beech 10 " " " N. 49° W. 78 " "  
 Sand rolling and 1<sup>st</sup> rate. Timber. Oak. Beech  
 Ash. Elm. &c.
- 
- Fourth On East Boundary of Sec 13. T32 N. R. 7 E.  
 14. 25 A W. Oak 18 in diam.  
 40 00 Set a q. the post from which  
 a Hickory 10 in diam. bears S. 50° W. 9 links dist. &  
 a Do 12 " " " N. 42° W. 22 " "
45. 00 North Margin of Lake  
 Set a Post from which  
 an Elm 5 in diam. bears N. 27° W. 12 links dist. &  
 a Do 6 " " " N. 57° E. 8 " "
73. 50 Set a Post on the South Margin of Lake  
 from which  
 an Ironwood 10 in diam. bears S. 7° E. 18 links dist. &  
 a Beech 18 " " " S. 43° W. 56 " "
- 80 00 Set a Post cor. to Sec. 13 & 24 from which  
 a W. Oak 24 in diam. bears N. 83° W. 65 links dist. &  
 a Do 20 " " " S. 55° W. 102 " "  
 Sand rolling soil good. Timber. Sugar. Beech.  
 Ash. Elm. &c. Under the same.
- 
- Fourth On East Boundary of Sec 24 T32 N. R. 7 E.  
 11. 00 A Buck 6 links wide. Course West  
 15. 42 A Buckeye 10 in diam.  
 39. 00 Enter Miller Swamp  
 40 00 Set a q. the post from which  
 a B. Ash 8 in diam. bears S. 54° W. 18 links dist. &

# 301

## T. 32 N. R. 8. E. 2<sup>nd</sup> Mer. Indiana

a B. Ash 5 in. diam. bears N 87° W 7 links dist  
 43.00 Leave the swamp  
 77.00 Enter Miller Swamp.  
 80.00 Set a Post cor. to Sec 24 & 25 from which  
 a Willow 3 in. diam. bears N 76° W 34 links dist.  
 an Elm 5 " " " S 15° W 8 " "  
 Land &c same

South On East Boundary of Sec 25. T. 32 N. R. 7 E.  
 3.00 Leave the swamp  
 10.82 A White Wood 30 in. diam.  
 15.21 A Blue Ash 24 " "  
 40.00 Set a g. Sec post from which  
 a W Oak 18 in. diam. bears S 55° W 77 links dist. &  
 a Buck 9 " " " S 20° W 11 " "  
 53.14 A Po 10 " "  
 56.95 A W Oak - " "  
 79.00 Enter swamp  
 80.00 Set a Post cor. to Sec 25 & 36 from which  
 an Elm 10 in. diam. bears N 15° W 48 links dist. &  
 a W 10 " " " S 70° W 3 " "  
 Land &c same

South On East Boundary of Sec. 30 T. 32 N. R. 7 E.  
 5.00 Leave the swamp  
 40.00 Set a g. Sec post from which  
 a Buck 5 in. diam. bears S 33° W 6 links dist. &  
 a Blue Ash 5 " " " S 72° W 26 " "  
 50.38 A White Wood 12 in. diam.  
 57.10 A W Oak 24 " "  
 80.00 Corner to Town 32 North. Ranges 7 & 8 E.  
 Land & Timber much the same.  
 Nov. 3<sup>d</sup> 1833

Surveyed by  
 Sylvester Tully  
 Dep. Sur.

Comy

## S 32 N. R 8 E 2nd Mer. Indiana

## Subdivisions

var 5.40. E

May 28<sup>th</sup> 1834

North Between Secs. 35 &amp; 36

23. 36 A Beech 12 in. diam.

40. 01 Set a g. Sec. post from which

a Poplar 12 in. diam. bears N 69 W 31 links dist. &amp;

a W. Oak 22 " " S 71 E 40 " "

57. 20 A Hickory 12 " "

50. 00 Set a Post cor. to Secs. 25. 26. 35 & 36 from which  
an Ash 13 in. diam. bears S 65 E 27 links dist. &

a Q. 12 " " N 20 W 50 " "

Land swampy, not good.

East On Random between Secs. 25 &amp; 36

70. 27 A Brook 8 links wide. Course S W

80. 27 Intersect E Boundary 54 links S of the Post.

Land 2nd rate. Timber. Beech. Ash. Sugar.

Elm. Hickory. Poplar. Walnuts.

West Connected between Secs. 25 &amp; 36

18. 00 An Ash 24 in. diam.

40. 13 p Set a g. Sec. post at prev. dist. from which

a Linn 36 in. diam. bears S 31 W 24 links dist. &amp;

a Beech 10 " " N 24 E 8 " "

59. 19 A W. Oak 28 " "

80. 27 To Sec. corner

North Between Secs. 25 &amp; 26

22. 45 A Hickory 12 in. diam.

40. 00 Set a g. Sec. post from which

a Maple 10 in. diam. bears N 20 W 20 links dist. &amp;

an Q. Oak 28 " " S 11 E 26 " "

51. 20 A Brook 7 links wide. Course S E.

56. 95 A Hickory 14 in. diam.

80. 00 Set a Post Cor. to Secs. 23. 24. 25 &amp; 26 from which

a B. Ash 11 in. diam. bears S 27 E 19 links dist. &amp;

a Q. 18 " " West 24 " "

T 32. N. R. & E. 2<sup>nd</sup> Mer. Indiana. 303

Land 2<sup>nd</sup> rate. Timber as before.

East On Random between Sec. 24 & 25.  
48.50 A Buck 8 links wide. Course S.E.  
79.07 Intersect East Boundary 1.23 links S. of the Post.  
Land good 2<sup>nd</sup> rate.

West Corrected between Sec. 24 & 25.  
19.40 A B. Ash 32 in. diam.  
39.83 1/2 the a.g. Sec. post at over dist. from which  
a W. Oak 22 in. diam. bears N 84 E 60 links dist. &  
a Beech 18 " " " S 81 W 54 " "  
54.37 A Co. 11 " "  
79.07 to the corner.

North Between Sec. 23 & 24  
23.90 An R. Oak 31 in. diam.  
40.00 1/2 the a.g. Sec. post from which  
an Elm 14 in. diam. bears S 30 W 5 links dist. &  
an Ironwood 9 in. " " N 86 E 25 " "  
55.96 A Hickory 20 " "  
80.00 1/2 the a.g. Sec. post to Sec. 23. 24. 13 & 14. from which  
a Hickory 22 in. diam. bears S 57 W 24 links dist. &  
a Co. 15 " " " N 60 E 14 " "  
South 1/2 mile rich North 1/2 not so good.  
Timber as before. May 28<sup>th</sup> 1834

East On Random between Sec. 13 & 24  
80.00 Intersect N & S line or E. Boundary 2.57 links S.  
of the Post.  
Land rolling & tolerably good

West Corrected between Sec. 13 & 24  
20.15 A Hickory 22 in. diam.  
40.00 1/2 the a.g. Sec. post - from which  
a Hickory 22 in. diam. bears N 70 E 11 links dist. &



# T. B. A. R. & E. M. M. Indiana

in Elm 29 in. diam. bears S 65 W 45 links dist.  
 71 20 A Poplar 20 " "  
 80 00 To the Corner.

North Between Sec. 13 & 14

11. 94 An Elm 18 in. diam.

40 00 Set a g. the post from which  
 a Poplar 24 in. diam. bears S 61 W 25 links dist.  
 an Ironwood 14 in. " " S 83 E 31 " "

51. 90 A Lync 30 " "

80 00 Set a Post Cor. to Sec. 11, 12, 13 & 14 from which  
 a Hickory 18 in. diam. bears N. 60 E 6 links dist.  
 a Co 12 " " S 34 W 15 " "

Land rolling & rate. Timber. Buck.  
 Poplar. Buck Ash. Sugar. Elm Lync Oak  
 Walnut &c. Underg<sup>d</sup> Dogwood. Ironwood  
 Hickory. Buck. &c.

East On Random between Sec. 12 & 13.

5. 00 Enter Marshy Prairie.

22. 50 To Lake.

42. 08 Left Lake & Enter heavy timber & dismal swamp  
 80. 40 Intersect the East Boundary 170 links North in  
 good Land.

This Lake like most of them in this region  
 is so surrounded with swamp & bad land as to  
 make it improper to Meander.

West Connected between Sec. 12 & 13

21. 33 A Hickory 13 in. diam. in Margin of a Swamp  
 40 29 Set a g. the post at a rec. dist. from which  
 2,050 in Lake. May 29<sup>th</sup> 1834

Peperd this Lake by a right angle, referring to  
 the tables to ascertain the departure which is  
 the width of the Lake.

305

T. & E. Indiana.

North Between Secs. 11 & 12,  
 4. 50 Enter Marshy Prairie  
 31. 50 Left the same.  
 40 00 Set a g. the post from which  
 a Dogwood 6 in. diam. bears N 72 E 19 links dist, &  
 a Poplar 18 " " " N 68 W 18 " "  
 52. 40 A W. Oak 24 " "  
 80 00 Set a Post Cor. to Secs. 1, 2, 11 & 12 from which  
 a W. Oak 30 in. diam. bears N 83 E 3.08 links dist, &  
 a D. 36 " " " N. 12 W. 160 " "  
 Sand poor. Timber. Oak & Hickory.

East On Random between Secs. 1 & 12  
 79. 50 Intersect the E. Boundary 50 links South of Post.  
 Land not described

West Connected between Secs. 1 & 12,  
 19. 20 An Ash 28 in. diam.  
 29. 75 Set a g. the post at aver. dist. from which  
 a W. Oak 36 in. diam. bears N 79 E 12 links dist, &  
 a Buck 15 " " " S 79 W 10 " "  
 79 50 To Sec. Corner.

North Between Secs. 1 & 2  
 14. 74 A B. Oak 36 in. diam.  
 40. 00 Set a g. the post from which  
 a Hickory 12 in. diam. bears S. 15 E 17 links dist, &  
 a Buck 12 " " " N 45 W 48 " "  
 62. 00 A W. Oak 15 " "  
 65. 00 To a Lake. where are  
 Elm 12 in. diam. bears N. 82 W. 36 2 links dist, &  
 a Poplar 20 in. " " S 13 E 1. 53 " "  
 75 00 Left Lake  
 a Walnut 24 in. diam. bears N 12 E 279 lks. dist, &  
 a W. Oak 24 " " " N. 54 W. 1. 31 " "  
 89. 58 Intersect the North Boundary 108 links West.

## T32 N. E. &amp; E 2nd Mer. Indiana

of Post. where Set a post cor. to Sec. 1 & 2,  
from which

a W. Oak 28 in. diam. bears S 68 E 50 links dist. &

a Do 32 " " " S 69 W 44 " "

Land rolling, dry & poor Timber, poor Oak. &  
Hickory. Underg<sup>d</sup>. Sassafras. &c.

North Between Sec. 34 & 35.

33.00 A Beech 11 in. diam.

40.00 Set a g. Sec. post from which

a Beech 12 in. diam. bears S 13 E 9 links dist. &

a Sugar 15 " " " N 3 E 16 " "

56.80 A Poplar 30 " "

80.00 Set a Post cor. to Sec. 26, 27, 34 & 35 from which

an Ironwood 8 in. diam. bears S 87 E 7 links dist. &

a W. Oak 28 in. diam. " N 75 W 38 " "

Land Rolling 2<sup>nd</sup> rate. Timber. Ash. Sugar.

Poplar. Elm. Underg<sup>d</sup>. Ironwood. Dogwood.  
Sugar. & Ash

East On Random between Sec. 26 & 35

79.25 Intersect the N & S line 1.73 links South of Post.  
Land & Timber as before.

West Corrected between Sec. 26 & 35.

19.10 An Q. Oak 24 in. diam.

39.62 Set a g. Sec. post at aver. dist. from which

a Spruce 12 in. diam. bears N 67 E 38 links dist. &

a W. Oak 36 " " " S 48 W 30 " "

63.11 A Beech 12 " "

79.25 To Sec. corner

North Between Sec. 26 & 27,

20.00 A W. Oak 28 in. diam.

40.00 Set a g. Sec. post from which

a W. Oak 15 in. diam. bears N 50 E 14 links dist. &

# 307

## T32 N. R. & E. 2nd Mer. Indiana

an Elm 10 in. diam. bears S 75 W 22 links dist.  
 53.92 A W. Oak 12 " "  
 80.00 Set a Post cor. to Sec. 22. 23. 26 & 27 from which  
 an Ash 11 in. diam. bears N 22 E 21 links dist. &  
 a Willow 6 " " " S 96 14 " "  
 South 1/2 mile avg. North 1/2 flat & swampy.  
 Timber to correspond.

East On Random between Sec. 23 & 26  
 80.00 Intersect the N & S line 24 links South of the Post  
 Land not described.

West Corrected between Sec. 23 & 26.  
 20.31 A W. Oak 28 in. diam.  
 40.00 Set a g. Sec. post from which  
 an Ash 11 in. diam. bears S 64 W. 28 links dist. &  
 an Elm 12 " " " N 25 E 5 " "  
 58.90 A Hickory 10 " "  
 80.00 To Sec. Corner. May 29th 1834.

North Between Sec. 22 & 23.  
 17.80 A Hickory 12 in. diam.  
 40.00 Set a g. Sec. post from which  
 an Ash 10 in. diam. bears S 39 E 38 links dist. &  
 a Willow 6 " " " N 55 E 11 " "  
 61.70 A Buck 16 " "  
 80.00 Set a Post cor. to Sec. 14. 15 22 & 23 from which  
 a Sugar. 22 in. diam. bears N. 4 W. 29 links dist. &  
 a Buck 28 " " " S. 4 E. 6 " "  
 Land rolling E & W but interspersed with  
 swamps.

East On Random between Sec. 14 & 23  
 79.30 Intersect N & S line 1.30 links South of the Post  
 Land not described.



## T33 N. R. &amp; E. Ina Her Indiana.

West Corrected between Sec. 11 & 12.  
 21.00 A Hickory 12 in. diam.  
 39.65 Set a q. Sec post at an. dist. from which  
 a Beech 14 in. diam. bears S 81° W 12 links dist. &  
 an Ash 8 " " " N 85° E 9 " "  
 64.40 A Poplar 28 " "  
 79.30 To Sec. Corner.

North Between Sec. 14 & 15.  
 22.14 An Ash 28 in. diam.  
 40.00 Set a q. Sec post from which  
 a Sugar 26 in. diam. bears N 6° E 27 links dist. &  
 an Elm 10 " " " S 46° W 15 " "  
 58.06 An R. Oak 34 " "  
 80.00 Set a Post cor. to Sec. 10. 11. 14 & 15 from which  
 an Ash 12 in. diam. bears S 10° E 27 links dist. &  
 an Elm 14 " " " N 37° E 27 " "  
 Land rolling good 2<sup>nd</sup> rate. Timber. Beech. Oak.  
 Sugar. Walnut, Hickory &c.

East On Bandem. between Sec. 11 & 14.  
 20.00 Reached the margin of a Lake  
 80.00 Intersect the N. & S line 77 links E. of the Post.  
 Land most a mile swampy. Rest a dry prairie.  
 Timber. Beech Oak. Elm. Ash Maple.  
 Dogwood. Iron wood. & Hickory.  
 May 29<sup>th</sup> 1834.

West Corrected between Sec. 11 & 14  
 28.08 An R. Oak 40 in. diam.  
 40.00 Set a q. Sec post from which  
 an Elm 12 in. diam. bears S 31° E 21 links dist. &  
 a Po 18 " " " N 28° W 52 " "  
 80.00 To Sec. Corner.

North Between Sec. 10 & 11.

5. 00 To a Lake where  
an Aspin 15 in. diam. bears N 15 E 71 links dist. &  
a Do 10 " " " N. 35 W. 33 " "
33. 00 Left the Lake  
an Elm 8 in. diam. bears S. 8 E. 12 links dist. &  
a Do 10 " " " N. 55 W. 11 " "
40. 00 Set a g. Sec post from which (in Tamarac swamp)  
a Tamarac 4 in. diam. bears N 89 E 6 links dist. &  
a Do 12 " " " N. 25 W. 44 " "

55. 00 Left Swamp & Marsh Prairie

59 45 A W. Oak 30 in. diam. 10 1/2

80. 00 Set a Post cor. to Sec. ~~1~~ 2 & 3 from which  
an Elm 18 in. diam. bears S. 6 W. 25 links dist. &  
a Do 11 " " " N. 22 E. 37 " "

The upland is poor Oak & Hickory

The Lakes in this neighborhood, although some of them are large, are nevertheless only immense Ponds, most of them having no outlets. The water is generally clear but warm. They appear to rise and fall, perceiving that they are not supplied by springs, but are fed by rains and the adjacent swamps.

Peopled this Lake by means of an offer from the Randoms.

East On Random between Sec. 2 & 11.

- 79 15 Intersect the N & S line 2.30 links S. of the Post  
Land most  $\frac{1}{2}$  mile very bad, particularly at  
the g. Sec post. near where there are several  
small Lakes. The East  $\frac{1}{2}$  mile is very  
good Land

West Corrected between Sec. 2 & 11.

91. 50 A Hickory 14 in. diam.

39. 57 Set a g. Sec post from which  
an Elm 12 in. diam. bears N 67 E 13 links dist. &

## T32 N. R. &amp; E. 2nd Mer. Indiana

an Elm 12 in. diam. bears S 46 W 11 links dist.  
 73.15 An R. Oak 22 in. "  
 79.15 To Sec. Corner.

North Between Sec. 2 & 3

14.00 An R. Oak 28 in. diam.

40.00 Set a gr. Sec. post from which  
 a Maple 15 in. diam. bears S 81 E. 7 links dist. &  
 an Ash 19 " " " S 38 W 30 " "

77.25 A Hickory 19 " "

90.45 Intersect the North Boundary 3.10 links East  
 of the Post, where set a Post cor. to Sec. 2 & 3  
 from which

a Willow 7 in. diam. bears N. 74 W. 20 links dist. &

a Do 5 " " " S. 45 E. 20 " "

This post in swamp.

Land poor. North  $\frac{1}{2}$  mile inclining to Barrens

North Between Sec. 33 & 34

17.40 A Sugar 22 in. diam.

40.00 Set a gr. Sec. post from which

a Birch 10 in. diam. bears S 80 E 30 links dist. &

a Do 12 " " " N. 68 W 15 " "

50.50 A Yucca 20 " "

80.00 Set a Post cor. to Sec. 27 28. 33 & 34 from which  
 an Ash 9 in. diam. bears S 1 E 20 links dist. &  
 a Do 10 " " " N. 18 W 19 " "

Land South  $\frac{1}{2}$  mile rolling North  $\frac{1}{2}$  wet &  
 swampy.

East On Random between Sec. 27 & 34

10.00 A Brook 8 links wide. Course S E.

79.20 Intersect N & S line of Post.

Land 2nd rate.

West Corrected between Sec. 27 & 34.

# 311

## T 39 N. W. 8 E Master. Indiana.

12.10 A Hickory 20 in. diam.  
 39.53 Set a q. Sec. post at an. dis. from which  
 a Buck 15 in. diam. bears S 28 E 35 links dis. &  
 an Ironwood 8 " " " N 20 W 11 " "  
 67.46 A Poplar 14 " "  
 79.20 To the corner.

North Between Sec. 27 & 28  
 25.90 A Hickory 24 in. diam.  
 40.00 Set a q. Sec. post from which  
 a Buck 22 in. diam. bears S 11 E 35 links dis. &  
 an H. Oak 36 " " " N. 15 W. 39 " "  
 55.53 An Elm 20 " "  
 80.00 Set a Post Cor. to Sec. 21 22. 27 & 28 from which  
 a Hickory 10 in. diam. bears N. 76 E 5 links dis. &  
 a W. Oak 40 " " " S 1 W 20 " "  
 Land 2<sup>nd</sup> rate. Timber. Buck. Ash. Oak  
 Poplar. Walnut. Underg<sup>th</sup> Ironwood. Sugar  
 and Spice.

East On Random between Sec. 22 & 27.  
 11.30 A Birch 7 links wide. Accuse. S E  
 79.80 Intersect the N & S line 1.30 links North of  
 the Post.  
 Land poor. Timber. Oak. Ash. & Hick.  
 Underg<sup>th</sup> Ironwood. Dogwood. &c. Willow  
 swamps with a due mixture of snakes of  
 every description

West Cornered between Sec. 22 & 27.  
 20.10 A Sycamore 18 in. diam.  
 39.90 Set a q. Sec. post at an. dis. from which  
 a Buck 12 in. diam. bears N. 26 E 9 links dis. &  
 an H. Oak 36 " " " S 26 W 15 " "  
 63.69 A Maple 14 " "  
 79.80 To the corner.



## T 32 N. R. 8 E 2nd Mer. Indiana

North Between Secs. 21 &amp; 22

22 94 A W. Oak 30 in. diam.

40.00 Set a g. Sec post from which  
a W. Oak 18 in. diam. bears N. 64 E. 17 links dist. &  
a Beech 7 " " " S 57 W 5 " "

57 25 An Ash 15 " "

80.00 Set a Post cor. to Secs. 15 16 21 & 22, from which  
an Elm 15 in. diam. bears N 10 E 15 links dist. &  
an Ash 12 " " " S 21 W 13 " "  
Poor Land. Timber Oak. & Hickory, close  
underbrush of Chenowood. Dogwood. Maple.  
Elm. &c. North 1/2 mile swampy.

East On Ransom between Secs. 15 &amp; 22

79 15 Intersect N & S line 77 links South of the Post  
Land on the West 1/2 mile swampy. East 1/2  
dry, gently rolling moderate. Timber. Beech. Ash  
Oak. Hickory Sugar, & on the West 1/2 Maple  
Elm. &c.

West Connected between Secs. 15 &amp; 22

6. 38 A Beech 20 in. diam.

39.57 Set a g. Sec post at a cor. dist. from which  
an Elm 18 in. diam. bears N. 27 W. 4 links dist. &  
a B 4 " " " South 6 " "

79 15 To Sec. corner.

North Between Secs. 15 &amp; 16

16. 14 A Beech 20 in. diam.

40.00 Set a g. Sec post, from which  
a Beech 10 in. diam. bears N. 11 W. 20 links dist. &  
a B 9 " " " S 13 W 18 " "

53 95 An Ash 15 " "

80.00 Set a Post cor. to Secs. 9. 10 15 16 from which  
an R. Oak 30 in. diam. bears N. 40 W. 2 links dist. &  
a Beech 13 " " " S 29 E 18 " "

T 32 N. R. 8 E. 2nd Mer. Indiana. 313

Land level. South 1/2 mile inclining to west.  
North 1/2 rich. Timber. Beech. Sugar. Hickory,  
Oak. Elm. Maple. Lymn. &c.

East On Random between Sec. 10 & 15.

78. 90 Intersect the N & S line 1.24 links North of Post.  
Land Rolling & good except the East 20. 00

North Connected between Sec. 10 & 15.

18. 32 An Elm 10 in. diam.

39. 45 Set a post. Sec. post - at aver. dist from which  
an Ash 9 in. diam. bears S. 10 W. 10 links dist &  
a Beech 11 " " " N. 25 E. 7 " "

... A Beech 23 " "

78. 90 To Sec. Corner

North Between Sec. 9 & 10

16. 20 An Elm 18 in. diam.

26. 50 A Brook 15 links wide. Course West a pleasant  
Stream.

40. 00 Set a post. Sec. post from which  
a Beech 9 in. diam. bears N. 3 W. 7 links dist &  
an Elm 8 " " " S. 31 W. 7 " "

55. 13 A Beech 20 " "

80. 00 Set a post cor. to Sec. 3. 4 & 10 from which  
a W. Ash 15 in. diam. bears S. 10 W. 26 links dist &  
a W. Oak 45 " " " N. 43 E. 7 " "

Land. South 1/2 mile good. North 1/2 inclining  
to & some Milton Swamps. Timber. Beech. Ash  
Oak. Elm. Sugar. Undergrowth Dogwood. Ironwood  
Beech. White Beech & Sugar.

East On Random between Sec. 3. & 10.

79. 50 Intersect the N & S line 56 links South of the Post.  
Land, West 1/2 timbered. pretty good. East 1/2 mile is  
marshy Prairie & Barrens. Timber. Oak & Hickory.

## T32 N. R. &amp; E 2nd Mer. Indiana

- Met Corrected between Sec. 3 & 40
15. 70 A Hickory 11 in. diam.
- 39 75 Set a q. Sec post at arer. dist. from which  
an Elm 11 in. diam. bears S 29 E 36 links dist. &  
a Do 11 " " " East 28 " "
- 60 15 An Ironwood 9 in. diam.
- 79 50 To Sec Corner
- 
- North Between Sec. 3 & 4
30. 00 Enter met Prairie
- 40 00 Set a q. Sec post from which  
a Tamarac 13 in. diam. bears N. 70 E. 36 lks. dist. &  
a Do 11 " " " N 20 W 60 " "
41. 00 Enter Tamarac swamp.
60. 00 Set same " "
- 65 84 A B. Oak 11 in. diam.
89. 30 Intersect the North Boundary 49 links West  
of the Post. where set a Post cor. to Sec. 3 & 4  
from which  
an Elm 30 in. diam. bears S. 79 W. 8 links dist. &  
a Hickory 11 " " " N. 89 E. 17 " "  
Last 20 chs. good Land.
- 
- North Between Sec. 32 & 33
- 13 90 An Elm 28 in. diam.
- 40 00 Set a q. Sec post from which  
a Poplar 22 in. diam. bears N 17 E 22 lks. dist. &  
a Beech 14 " " " S 8 W 20 " "
59. 50 A Poplar 24 " "
- 50 00 Set a Post cor. to Sec. 28, 29, 32 & 33 from which  
an Elm 30 in. diam. bears S. 71 E 9 links dist. &  
an Ironwood 8 in. " " N 59 W 35 " "  
Land Rolling. Timber. Oak. Beech. Hickory.  
Poplar. Elm & Walnut. Underg. Ironwood.  
Ash. Dogwood. Spici. &c.

315

T 32 N. R. 8 E 2nd Mer. Indiana

East On Random between Sec. 28 & 33.  
 79. 20 Intersect At 45 line 1.50 links North of the Post.  
 Land on the West 1/2 mile good. East 1/2 poor.

West Corrected between Sec. 28 & 33.  
 19. 92 An Ash 12 in diam.  
 39. 00 Set a q. Sec post at aver. dist. from which  
 an Elm 8 in diam. bears N. 25 E. 8 links dist. &  
 an Ash 8 " " " S. 22 W. 7 " "  
 65. 40 An Elm 12 " "  
 79. 20 To Sec. corner.

North Between Sec. 28 & 29.  
 17. 75 A Sugar 12 in diam.  
 40. 00 Set a q. Sec post from which  
 a Sycamore 28 in diam. bears N. 64 W. 10 links dist. &  
 an Ironwood 8 " " " S. 57 E. 12 " "  
 55. 30 An R. Oak 30 " "  
 80. 00 Set a Post cor. to Sec. 20 21. 28 & 29 from which  
 an Elm 7 in diam. bears N. 38 E. 20 links dist. &  
 an Ash 11 " " " S. 49 W. 29 " "  
 Land level. Timber as last described.

East On Random between Sec. 21 & 28.  
 79. 30 Intersect At 48 line 3.00 links North of the Post.  
 Land gently rolling. Timber as before.

West Corrected between Sec. 21 & 28.  
 39. 05 Set a q. Sec post at aver. dist. from which  
 a Beech 11 in diam. bears S. 40 W. 12 links dist. &  
 a Sugar 30 " " " N. 71 W. 10 " "  
 62. 58 A Beech 12 " "  
 79. 30 To Sec. corner.

North Between Sec. 20 & 21.  
 23. 20 A W. Oak 36 in diam.



## T 32 N R 8 E 2nd Mer. Indiana.

- 40.00 Set a g. Sec post from which  
an R. Oak 40 in. diam. bears S 37 W 14 links dist. &  
an Ash 8 " " " N 69 E 14 " "
- 58.00 A Poplar 36 " "
- 80.00 Set a Post cor. to Secs. 16 17 20 & 21 from which  
an R. Oak 30 in. diam. bears N 41 E 34 links dist. &  
a Birch 20 " " " S 6 W 27 " "  
Land & Timber as before

East On Random between Secs. 16 & 21.

- 79.68 Intersect the N & S line 100 links North of Post.  
Land & Timber same as last.

West Corrected between Secs. 16 & 21.

- 39.84 Set a g. Sec post at even dist. from which  
a Birch 18 in. diam. bears N 57 E 11 links dist. &  
a C 14 " " " N 78 W 14 " "
- 64.68 A W. Oak 40 " "
- 79.68 To the corner.

North Between Secs. 16 & 17.

- 24.00 An Elm 20 in. diam.
- 40.00 Set a g. Sec post from which  
an Ash 20 in. diam. bears S 63 E 20 links dist. &  
an Elm 22 " " " S 79 W 19 " "
- 55.09 An Elm 22 " "
- 80.00 Set a Post cor. to Secs. 8. 9. 16 & 17 from which  
an Elm 7 in. diam. bears N 16 E 13 links dist. &  
a Hickory 7 " " " S 17 E 11 " "  
Land South 1/2 mile rolling North swampy  
Timber. Birch. Ash. Elm. Maple. &c.  
June 2<sup>d</sup> 1834.

East On Random between Secs. 9 & 16

- 79.38 Intersect the N & S line 250 links North of Post.  
Land level & mes. June 2<sup>d</sup> 1834

# 317

## T 32 N. R 8 E 2nd Mer Indiana.

West Corrected between Sec. 9 & 10.  
 16.53 An Elm 22 in. diam.  
 39.59 Set a gr. Sec. post at area dist. from which  
 an Elm 15 in. diam. bears S 12 W. 16 links dist. &  
 a Do 10 " " " N 37 E 13 " "  
 79.38 To Sec. corner.

North Between Sec. 8 & 9.  
 19.50 A Sugar 15 in. diam.  
 22.10 A Buck 15 links wide. course N.  
 40.00 Set a gr. Sec. post from which  
 an Ash 12 in. diam. bears S 81 W 4 links dist. &  
 a Beech 20 " " " S 77 E 36 " "  
 43.50 An H. Oak 30 " "  
 80.00 Set a Post cor. to Sec. 4. 5. 8 & 9 from which  
 a Cherry 15 in. diam. bears S 70 E. 3 links dist. &  
 a Water Beech 9 in. " " N 70 W 5 " "  
 Land rolling & good. On the North 1/2 mile hence  
 there is a Tamarac swamp of about 800.

East On Randem between Sec. 4 & 9.  
 80.00 Intersect the N. & E line 300 links North of Post.  
 Land rolling & good. Timber. Beech. Ash. Sugar.  
 Poplar. Elm, &c. Underg. Ironwood. Water Beech.  
 Sugar. Elm. Hickory, &c

West Corrected between Sec. 4 & 9.  
 20.00 A W. Oak 38 in. diam.  
 40.00 Set a gr. Sec. post at area dist. from which  
 a W. Oak 30 in. diam. bears S 89 E. 28 links dist. &  
 an Ironwood 9 " " " N 79 W 18 " "  
 67.37 A H. Oak 45 " "  
 80.00 To Sec. corner

North Between Sec. 4 & 5.  
 15.80 A Beech 18 in. diam.

## T 33 N. R. 8 E 2nd Mer. Indiana.

- 25 00 Indian Sugar camp & Magnams.  
 40.00 Set a gr. Sec post from which  
 a Sugar 22 in. diam. bears S 64 W 20 links dist. &  
 a Do 22 " " " N 31 E 29 " "  
 59 15 A Beech 22 " "  
 85. 60 Intersect the North Boundary 1.25 links East of  
 the Post, where set a Post cor. to Sec. 4 & 5 from which  
 a W. Oak 30 in. diam. bears S. 77 E. 33 links dist. &  
 a Ironwood 8 in. " " S. 73 W. 11 " "  
 Land good 2<sup>nd</sup> rate. Timber as before.

- North Between Sec. 31 & 32  
 21. 30 An Ash 12 in. diam.  
 40. 00 Set a gr. Sec post. from which  
 a Beech 10 in. diam. bears S 27 W 7 links dist. &  
 a Do 13 " " " N. 5 W 18 " "  
 56. 75 A Beech 1 1/4 " "  
 80 00 Set a Post cor. to Sec. 29. 30. 31 & 32 from which  
 a Beech 15 in. diam. bears N 1 W 27 links dist. &  
 a Do 22 " " " S. 65 E. 17 " "  
 Land Rolling & good 2<sup>nd</sup> rate. Timber. Beech. Ash.  
 Oak. Hickory. Walnut. Elm. &c. Undergrowth.  
 Ironwood Sugar Ellice. &c.

- East On Random between Sec. 29 & 32  
 80. 50 Intersect the N & S line 65 links South of Post.  
 Land not good. Timber. Beech. Oak. & Hickory.

- West Corrected between Sec. 29 & 32  
 15. 25 A Spruce 22 in. diam.  
 40 25 Set a gr. Sec post. at aver. dist. from which  
 a Beech 10 in. diam. bears N 8 E. 18 links dist. &  
 a W. Oak 24 " " " S. 61 W. 30 " "  
 75. 55 An Elm 22 " "  
 80 50 To Sec. Corner.

# T 32 N. R 8 E. 2nd Mer Indiana

319

West On Random between Sec. 30 & 31.  
 10.15 A Birch 7 links wide. Course N. W.  
 49.00 A Do 10 " " " " N E.  
 73.06 Intersect the West Boundary 50 links South of Post.  
 Rolling Brushy Ragged Land.

East Connected between Sec. 30 & 31  
 At the cor. on West Boundary. Set a Post cor. to Sec.  
 30 & 31 in small Miller swamp, from which  
 an Elm 11 in. diam. bears N. 22 W. 43 links dis. &  
 a Maple 11 " " " " N. 42 E. 40 " "  
 27.80 A Birch 16 " "  
 33.00 Set a q. Sec. post from which  
 a Birch 7 in. diam. bears N 4 E 7 links dis. &  
 a Do 20 " " " " S 39 E 18 " "  
 61.76 A Walnut 30 " "  
 73.06 To Sec. corner.

North Between Sec. 29 & 30  
 22.90 A Birch 11 in. diam.  
 40.00 Set a q. Sec. post from which  
 a Birch 10 in. diam. bears N 80 E 34 links dis. &  
 a Do 12 " " " " S. 82 W. 19 " "  
 46.20 A Birch 10 links wide. Course N. W.  
 52.00 A Do 10 " " " " West.  
 54.25 A Birch 22 in. diam.  
 80.00 Set a Post cor. to Sec. 19. 20 29 & 30 from which  
 an Elm 14 in. diam. bears N 6 E 25 links dis. &  
 a Thorn 6 " " " " N. 54 W 24 " "  
 Sand rather poor. Timber mostly Beech.  
 Underbrush very close June 3<sup>rd</sup> 1834.

East On Random between Sec. 20 & 29  
 79.75 Intersect the N & S line 20 links South of Post.  
 Land inclining to wet.



T32 R. R. S. E. 2<sup>nd</sup> Mer. Indiana

West Corrected between Sec. 20 & 29.  
 14.00 A W. Oak 30 in. diam.  
 34.87 1/2 Set a g. Sec. post at aver. dist. from which  
 a Maple 15 in. diam. bears S. 55 W. 12 links dist. &  
 a Do 12 " " " N 4 W 21 " "  
 59.84 A Cherry 8 " "  
 79.75 To Sec. Corner

West On Random between Sec. 19 & 30  
 17.00 A Brook 10 links wide. Course S W  
 72.30 Intersect the N & S line or West Boundary 69  
 links South of the Post.  
 Land dry

East Corrected between Sec. 19 & 30  
 At the Cor. on West Boundary Set a Post Cor.  
 to Sec. 19 & 30 from which  
 a Willow 3 in. diam. bears S. 82 E. 16 links dist. &  
 a Do 4 " " " S. 67 E. 20 " "  
 12.50 A Hickory 10 in. diam.  
 32.30 Set a g. Sec. post on true line from which  
 a Beech 20 in. diam. bears N. 27 W. 6 links dist. &  
 an Ash 28 " " " S 53 E 18 " "  
 57.75 A W. Oak 28 " "  
 72.30 To Sec. Corner.

North Between Sec. 19 & 20  
 12.70 A Sugar 22 in. diam.  
 40.00 Set a g. Sec. post from which  
 an Ash 11 in. diam. bears N. 74 E. 18 links dist. &  
 a W. Oak 50 " " " S. 55 W. 29 " "  
 54.20 An Q. Oak 15 in. diam.  
 61.50 To a Small Lake & large Pond.  
 80.00 Set a Post Cor. to Sec. 17 18 19 & 20 from which  
 an Ash 30 in. diam. bears N. 5 W 10 links dist. &  
 an Elm 15 " " " S 45 E 30 " "

321

T 32 N. R. 8 E 2<sup>nd</sup> Mer. Indiana.

Land poor on account of swamps. Yet rolling and the high ground is good.

East On Random between Sec. 17 & 20  
79.45 Intersect N & S line 90 links North of the Por.  
Land rolling & dry. Timber as last described.

West Connected between Sec. 17 & 20  
19.10 A Hickory 14 in. diam.  
39.73 Set a g. Sec. post at aver. dist. from which  
an Ironwood 6 in. diam. bears S. 25 E. 8 links dist. &  
a Sugar 24 " " " N. 30 W. 17 " "  
56.40 A Buck 30 " "  
79.45 To Sec. corner.

West Between Sec. 18 & 19. On Random  
30.74 A Brook 25 links wide. Course N. W. which connects  
two Lakes.  
54.83 Touched the South end of Lake  
71.41 Intersect the West Boundary 2.41 links North  
of the corner.  
Land 2<sup>nd</sup> rate.

East Connected between Sec. 18 & 19.  
At the Cor. on the West Boundary. made the  
corner to Sec. 18 & 19 from which.  
an Ash 30 in. diam. bears N. 34 E. 35 links dist. &  
an Ironwood 10 in. " " S. 34 E. 33 " "  
31.41 Set a g. Sec. post on true line from which  
an Elm 24 in. diam. bears N. 87 E. 12 links dist. &  
a D<sup>o</sup> 18 " " " S. 74 W. 20 " "  
57.23 A Poplar 40 " "  
71.41 To Sec. corner.

North Between Sec. 17, 18  
21.80 A W. Oak 36 in. diam.?

## T 32 N. R 8 E Ind. Mer. Indiana.

- 40 00 Set a gr. Sec. post from which  
an Ash 12 in. diam. bears N 21 W 33 links dist &  
a Walnut 23 " " " S. 7 E. 20 " "
58. 00 A Brook 10 links wide. Course West.
59. 50 An Ash 15 in. diam.
71. 00 A Brook 10 links wide. Course N. W.
80. 00 Set a Post cor. to Sec. 7. 8. 17 18 from which  
an Ash 17 in. diam. bears N 73 E 12 links dist &  
a W. Oak 10 " " " S 85 W 29 " "  
Land about  $\frac{1}{2}$  mile swampy North  $\frac{1}{2}$  good land.  
Some excellent Bottom land on these small streams

- East On Random between Sec. 8 & 17.
18. 00 A Brook 10 links wide. Course S. W.
79. 80 Intersect the N. & S. line 200 links North of Post.  
Land rolling & 2<sup>nd</sup> rate. no change in timber.  
East  $\frac{1}{2}$  mile pretty good Land

- West Connected between Sec. 8 & 17
- 14 84 An Elm 10 in. diam.
39. 90 Set a gr. Sec. post at aver. dist. from which  
an Ash 8 in. diam. bears S 27 E 12 links dist &  
a Do 11. " " " N. 55 W 30 " "
- 68 60 An Ro. Oak 45 in. diam.
- 79 80 To Sec. corner.

- West On Random between Sec. 7 & 18
40. 50 A Brook 12 links wide. Course West.
71. 95 Intersect the West Boundary 270 links North  
of the Post.  
Land & Timber as before.

- East Connected between Sec. 7 & 18.
- At the Cor. on West Boundary made Corner to  
Sec. 7 & 18. from which  
an Elm 20 in. diam. bears N 29 E 26 links dist &

# T 32 N. R. 8. E. 2<sup>nd</sup> Mer. Indiana.

323

- a Buckeye 6 in. diam. bears N 81 E 30 links dis. 1/2  
 14.57 A Poplar 18 " "  
 31.45 Set a gr. Sec post from which  
 a Maple 15 in. diam. bears S 5 W 20 links dis. 1/2 &  
 a Thorn 10 " " " N. 30 W. 30 " "  
 52.75 A Buck 10 " "  
 71.95 To Sec. Corner.

- North Between Sec. 7 & 8  
 28.65 An R. Oak 40 in. diam.  
 40.00 Set a gr. Sec post from which  
 a Sugar 22 in. diam. bears S 17 W. 30 links dis. 1/2 &  
 an Ironwood 10 " " " N. 17 W. 15 " "  
 47.95 A Buck 20 " "  
 65.00 A Strip of wet Prairie  
 80.00 Set a Post cor. to Sec. 5, 6, 7 & 8 from which  
 a Hickory 17 in. diam. bears East 80 links dis. 1/2 &  
 a W. Oak 14 " " " West 57 " "  
 Land rolling & good 2<sup>nd</sup> note. especially the North  
 1/2 mile.

- East On Random between Sec. 5 & 8.  
 80.55 Intersect the N & S line 2.30 links North of Post.  
 West 1/2 mile good Land. East 1/2 mile 2<sup>nd</sup> note.

- West Corrected between Sec. 5 & 8  
 15.10 A W. Oak 40 in. diam.  
 40.27 Set a gr. Sec post at over dis. from which  
 an Ash 33 in. diam. bears N 48 E 19 links dis. 1/2 &  
 a Sugar 12 " " " S 29 W 16 " "  
 69.00 A Poplar 25 " "  
 80.55 To Sec. Corner

- West Between Sec. 6 & 7.  
 71.00 Intersect the N & S line or West Boundary 200 links  
 North of the Post.



## T 32 N. R. 8. E. Mer. Indiana

Land Barrens & skirts of Prairie. Marshy.  
Timber Oak & Maple.

- West Connected between Sec. 6 & 7.  
At the corner on West Boundary made cor. to  
Sec. 6 & 7 from which  
a Buck 18 in. diam. bears S 70 E 50 links dis. &  
a Do 23 " " " N 48 E 52 " "  
21.80 A W. Oak 30 " "  
31.00 Set a g. Sec. post on true line from which  
an Ash 12 in. diam. bears S 36 W 3 links dis. &  
a Do 20 " " " N 15 E 08 " "  
49.90 A W. Oak 10 " "  
51.00 To Sec. Corner.

- North Between Sec. 5 & 6  
35.45 An R. Oak 20 in. diam.  
40.00 Set a g. Sec. post from which  
an Ash 18 in. diam. bears S 25 W 21 links dis. &  
a W. Oak 19 " " " N. 71 E. 22 " "  
54.00 A Buck 20 " "  
80.10 Intersect the North Boundary at Corner, where  
made Corner to Sec. 5 & 6 from which  
an R. Oak 12 in. diam. bears S. 49 E. 24 links dis. &  
an Ash 12 " " " S. 36 W 40 " "

Land good.

June 4<sup>th</sup> 1854.

In this Township we had to pass the table lands  
between Eel River & the waters of Tippecanoe  
which in all cases we found to be more or less  
swampy. but in this Township to be awful!!!

Surveyed by  
John Hendricks D. C.

Meanders of a Lake in Section 18.

T. 32. N. R. 8 E 2<sup>nd</sup> Mer.

Course Distances.

Remarks.

Comp.

325

T 32. N. R. 8. E. 2<sup>nd</sup> Mer. Indiana

Beginning at Corner on Range line on the South side of Lake. Thence

S 41 E 7.50 in Sec. 18

East 11.50 At 8.00 inlets from S E.

N 33 E 8.50

N 25 W 9.00 At 6.20 an inlets from E

North 11.50

N 30 W 19.00

West 3.00

S 57 W 5.50

South 3.50

S. 22 W. 3 75 To Corner on Range line North side of Lake

Meanders of a Lake in Sec. 10 N 11

Beginning at Corner on the Range line between Sec. 10 N 5. on the South side of Lake.

West 22.50 in Sec 10

N 40 W 6.50

N 17 W 3.50

N 14 E 7.50 At 6.25 an Outlet, 25 links wide. Cont. W

N 23 W 16.00

N 31 E 9.00

N 78 E 12.00

S 84 E 11.00 At 1.50 an Inlet, 15 links wide from S.

S 25 E 8.50

S 44 E 4.40 To line between Sec. 10 N 11 :  
North side of Lake.

S 72 E 3.50 in Section 11

N 87 E 4.50

S 42 E 4.50

S 38 E 18.00

South 12.00

West 23.28 to the place of Beginning  
Nov. 23<sup>d</sup> 1834

## T33 N. R 8 E. Twp Mer. Indiana.

Meanders of a Lake in Sec. 1 &amp; 2

Beginning at a corner on the line between  
Sec. 1 & 2 on the South side of the Lake.

S58 E 7.00

In Sec 1

S31 E 13.50

S53 E 6.00

East 5.00

N50 E 13.00

N4 W 7.00

N22 W 3.50

N32 W 13.50

N46 W 17.50

S60 W 10.00

S12 W 7.07 To line between Sec. 1 & 2  
On the North side of Lake

S67 W 5.00

In Sec. 2

S32 W 6.50

S52 E 3.50

S82 E 5.19 To the place of Beginning.

Meanders of part of a Lake in Sec 1

Beginning at the corner on the line between  
Townships 32 & 33 Range 8 East on the  
West side of Lake.

S42 E 12.00

East 8.00

N62 E 2.07 To the corner on Range line.

Between Ranges 8 & 9 On the South  
side of the Lake.

T32 N. R. 8 E 2<sup>nd</sup> Mer. Indiana.

327

I hereby certify that, in pursuance of a Contract,  
with Micajah T. Williams Surveyor General of the  
United States, for the States of Ohio, Indiana  
and the Territory of Michigan bearing date  
the 27<sup>th</sup> day of December 1833, and in strict  
conformity to the laws of the United States and  
the instructions of said surveyor General, I have  
surveyed and subdivided into Sections.

Township No 32 North of Range No 8 East  
of the 2<sup>nd</sup> Mer. in the State of Indiana.

And I do further certify that, the foregoing  
are the true and mostly the original field-  
Notes of the said survey and subdivisions  
executed as aforesaid.

Certified this 4<sup>th</sup> day of June 1834.

John Hendricks  
Dep. Surveyor.

William Cash {  
William Feltner } Chairmen

Andrew B. Rodgers, Marker, in part,

I certify that, the foregoing Transcript of the  
Field Notes of Township No 32 North of Range No 8  
East of the 2<sup>nd</sup> Mer. in the State of Indiana  
has been compared with the original Notes in  
this Office and found to be Correct.

Surveyor General's Office }  
Cincinnati, April 22 1845 }

William Johnston  
Sur. Genl.